
Site Amenities BY SUPERIOR RECREATIONAL PRODUCTS



Model # B10INNVP



3/13/2019 Page 1 of 7



3/13/2019 Page 2 of 7

PRODUCT SPECIFICATIONS

B10INNVP PORTABLE BENCH WITHOUT BACK

Seats & Back: 11 gauge die formed angle frame 1"x1-7/8" with 3" radius corners. Seat and back plates are fabricated from a 12ga plate. Holes are precision punched at 5/8" diameter. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Tube ends are pre-galvanized steel capped. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Cross braces are 1" O.D. x 16 gauge pre-galvanized structural steel tubing. All electrically MIG welded.


Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.

Dimensions: 10' bench portable without back. Seats are 12" wide x 120" long. Seat height is 18-1/4". Total depth of bench is 22".



COMPONENTS



ITEM NO.	PartNo	DESCRIPTION	QTY.
1	T-P60-S	10' Punched Seat (1/2)	2
2	P-V942P	942P Vinyl Leg	3
3	33-02-0007	5/16" SS Washer	20
4	33-02-0008	3/8" Flat Washer (SS)	3
5	33-05-0029	5/16" x 1" Machine Bolt (SS)	10
6	33-03-0012	5/16" Kep Nut (SS)	10
7	P-01-04-0129	26 3/4" Brace	4
8	33-06-0058	3/8" x 3" Carriage Bolt (SS)	2
9	33-01-0018	3/8" Hex Nut (SS)	3
10	33-06-0090	3/8" x 3-1/4" Carriage Bolt (SS)	1




3/13/2019 Page 4 of 7

STEP 1 Attach the 10' Seat to the Legs as shown using specified hardware.



3/13/2019 Page 5 of 7


STEP 2



Attach the 26-3/4" Braces to the Seats and Legs as shown using specified hardware.



3/13/2019 Page 6 of 7



3/13/2019 Page 7 of 7