


1/2/2019 Page 1 of 7

HARDWARE



3/8" x 1-1/2" MACHINE BOLT



3/8" FLAT WASHER





3/8" KEPNUT





1/2/2019 Page 2 of 7

TOOLS REQUIRED











1/2/2019 Page 3 of 7

PRODUCT SPECIFICATIONS

B6ARS-ST ARCHES INGROUND MOUNT BENCH WITOUT BACK

Seat: Is fabricated from $1 \frac{1}{2}$ " x $\frac{1}{4}$ " flat steel strips. Reinforced with $\frac{1}{4}$ " thick support ribs. End Planks are made from $\frac{1-1}{2}$ " x $\frac{3-1}{2}$ " steel oval tubing.

Frame: 3" x 3" square x11 gauge strucural steel tubing. All electrically MIG welded.


Coating: Electrostatic powder coated application oven cured.

Dimensions: 6' inground mounted bench without back. Seat is 20" wide x 71" long. Seat height is 18" from the ground to the top of the seat. The overall dimensions are 71" x 20" x 32-1/2"



COMPONENTS

Attach the seats to the frames using specified hardware.




ITEM NO.	PartNo	DESCRIPTION	QTY
1	P-01-01-0419	82 Series S Leg	2
2	P-01-01-0415	6' Richmond Series Seat	1
3	33-05-0049	3/8" x 1 1/2" Machine Bolt (SS)	4
4	33-02-0008	3/8" Flat Washer (SS)	8
5	33-03-0013	3/8" Kep Nut (SS)	4




1/2/2019 Page 5 of 7

FOOTING DETAILS




Estimated Required Concrete: 7 - 50lb Bags of Concrete Mix





1/2/2019 Page 6 of 7



1/2/2019 Page 7 of 7