

3/14/2019 Page 1 of 6

HARDWARE



5/16" x 1" Machine Bolt



5/16" Washer



5/16" Kep Nut



3/14/2019 Page 2 of 6

PRODUCT SPECIFICATIONS

B6ULS INGROUND BENCH WITHOUT BACK

Seats: 11 gauge die formed angle frame 1"x1-7/8" with 3" radius corners. 3/4" #9 steel expanded metal. 10 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Electrically MIG welded.

Seat Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 2-3/8" O.D. x 12 gauge pre-galvanized structural steel tubing. Seat mounting points 7 gauge x 1-1/2" die stamped steel flat bar. Electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.


Hardware: All stainless steel hardware fasteners.


Dimensions: 6' bench inground without back. Seats are 10" wide x 72" long. Seat height is 18". Total depth of bench is 10".



3/14/2019 Page 3 of 6

COMPONENTS







| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|------------|------------------------------|-----|
| 1 | P-V942S | 942S VINYL LEG | 2 |
| 2 | T-EV72-S | 6' x 10" expanded seat | 1 |
| 3 | 33-02-0007 | 5/16" SS Washer | 8 |
| 4 | 33-05-0029 | 5/16" x 1" Machine Bolt (SS) | 4 |
| 5 | 33-03-0012 | 5/16" Kep Nut (SS) | 4 |



3/14/2019 Page 4 of 6



3/14/2019 Page 5 of 6



3/14/2019 Page 6 of 6