

Building Better Environmentally-Friendly Play Environments

PLAYGROUNDS & SITE AMENITIES

memory makers fur pullu CHAMPIONS OF CHILDHOOD

For over four decades, we've combined research, sustainable practices, and a **passion for play** to deliver playground environments that:

- Foster physical, cognitive, and social-emotional growth
- Prioritize safety without compromising fun
- **Embrace environmental responsibility**
- Adapt to the unique needs of each client

Get started on your dream playground by visiting groundsforplay.com/find-a-rep to find your local sales representative, who can answer questions and provide pricing and shipping information.

what's inside





64 Structure Components







Dramatic Play

Promotes creativity, social skills, problem-solving, and emotional understanding by encouraging children to explore roles, scenarios, and perspectives.

We are grounded in child development, allowing us to create balanced spaces that support various types of play. Our playgrounds:

Balancec

Go beyond physical activity

- Align with your program's goals
- Address age-specific needs

Music & Art Play

Science Center

Fosters creativity, selfexpression, fine motor skills, and cognitive development while enhancing emotional regulation and critical thinking.

Physical Play

Solar System

Nature & Outdoor Kiddie Academy Zionsville, Indiana

Physical Play

Enhances children's motor skills, balance, coordination, and physical fitness while fostering social interaction and problem-solving abilities.



Nature & Outdoor Classroom

Nurture children's creativity, curiosity, and problem-solving skills while promoting physical health, sensory development, and a deeper connection to the environment.

Outdoor classrooms spark creativity, encourage exploration, and promote hands-on learning. We offer outdoor classroom equipment that supports diverse learning styles, enhances social interaction, and creates an engaging space for multidisciplinary education.


nne

We

•

The Goddard School Swedesboro, New Jersey













It begins with an initial site plan that captures your vision and goals.

調査を

step

A conceptual rendering brings the design to life, so you and other key stakeholders have a clear vision of the space.

We guide you through every step of your playground design process, ensuring a seamless journey from concept to creation to deliver a stunning, safer, and ready-to-play playground tailored to your needs. See some of our installed creations on the next few pages.

Congeou



Step 3

Step

Our experienced team manufactures the equipment and manages the installation process, delivering your dream playground.

Step 2

Step 2





GFP-30292 Ages: 2-12 Years Use Zone: 38' x 28'

AND FIFID

735 823

Concept Creation

Balmorhea Independent School District Balmorhea, Texas



Grounds For Play brought a lot of creativity to the table, helping us design a playground that has become the highlight of our school. We are thrilled with the results.

Erin Cutler Owner & Operator, Kiddie Academy of Stuart







Once you see the benefits, you'll understand why recycled plastic posts and decking for playgrounds are becoming more and more popular for schools, parks, housing communities, and child cares.

why choose recycled plastic?



Look of wood without the maintenance **– no splinters or rotting**



Made from **non-toxic** and environmentally-friendly materials



Decks and posts do not rust or flake

Equally as strong as wood playgrounds

did you know? LBS.

Our playgrounds are made from 95% reclaimed postconsumer plastic products such as milk jugs! Every pound of recycled plastic lumber equates to 8 recycled milk containers. Additionally, the posts and decking can be recycled at the end of their life.

Certified Green Our lumber supplier, Tangent®, has achieved recycled content verification from GreenCircle Certified. Their certification is in compliance with ISO 14021:2016 definitions and the guidelines in the 2012 Federal Trade Commission (FTC) Green Guides for recycled content. Our posts and decks meet criteria for the USGBC LEED requirements.



Rendering for illustrative purposes only.

made in the isa

Our playgrounds are crafted with care and precision right here in the USA, ensuring quality, safety, and community pride in every design.

- Designed with durable, American-made materials to withstand years of active play
- Supporting local jobs to strengthen our communities Meeting the highest safety and quality standards for playground equipment

Built-In Resistance Our posts and decks resist marine borers and salt spray.




UV Additives Most of our components, as well as our shade fabric, either have UV additives or are UV stabilized to resist fading against that hot coastal sun.



Extra Protection Options Our metal components can have an extra-protection coating to protect against salt spray and the coastal air.

Learn more about our playground materials at groundsforplay.com/our-materials.





We design playground structures that **inspire growth** and creativity. By blending thoughtful research, eco-friendly methods, and a **deep love for play**, we create playgrounds that:

- Promote physical activity, cognitive exploration, and social connection
- Balance top-tier safety standards with endless fun
- Reflect a commitment to protecting the environment
- Cater to the distinct vision and needs of every client

in this section

Themed Playgrounds	22
R-Town [®] Cottages	22
Woodland Wonders	24
Fairytale Fortresses	25
5–12 Years	26
2–12 Years	30
2-5 Years	34
2–5 Years 6–23 Months	34 38
6–23 Months	38











Age Group: 2-12 Years Capacity: 80-85 Structure Size: 32' x 25' Use Zone: 44' x 37' Fall Height: 6' Est. Timber Count: 35

FXR-COT-205-0156

Age Group: 2-5 Years Capacity: 45-50 Structure Size: 20' x 16' Use Zone: 32' x 28' Fall Height: 4' Est. Timber Count: 25

R-Town[®] Collages

FXR-COT-205-0191

Age Group: 2-5 Years Capacity: 25-30 Structure Size: 18' x 13' Use Zone: 30' x 22' Fall Height: 3' Est. Timber Count: 22

2



FXR-COT-205-0169

Age Group: 2-5 Years Capacity: 60-65 Structure Size: 25' x 24' Use Zone: 37' x 36' Fall Height: 4' Est. Timber Count: 31

FXR-COT-205-0187

Age Group: 2-5 Years Capacity: 10-15 Structure Size: 22' x 16' Use Zone: 35' x 28' Fall Height: 4' Est. Timber Count: 27





FXR-NAT-512-0201 NEW

Age Group: 5-12 Years Capacity: 40-45 Structure Size: 26' x 10' Use Zone: 38' x 22' Fall Height: 6' Est. Timber Count: 26

NEW FXR-NAT-205-0223

1.1.1

Age Group: 2-5 Years Capacity: 40-45 Structure Size: 21' x 19' Use Zone: 33' x 30' Fall Height: 4′ Est. Timber Count: 27

NEW FXR-NAT-205-0224

Age Group: 2-5 Years Capacity: 40-45 Structure Size: 22' x 16' Use Zone: 34' x 28' Fall Height: 4′ Est. Timber Count: 25

Eairytale for resses NEW

NEW GFP-30467 Age Group: 2-5 Years

Capacity: 30-35 🔎 Structure Size: 25' x 22 Use Zone: 37' x 34' Fall Height: 4′ Est. Timber Count:

NEW GFP-30466

Age Group: 2-12 Years Capacity: 30-35 Structure Size: 29' x 26' Use Zone: 41' x 38' Fall Height: 5' Est. Timber Count: 36

Pick Cooler Colors for an Ice Castle

GFP-30465

Age Group: 2-12 Years Capacity: 40-45 Structure Size: 24' x 19' Use Zone: 36' x 31' Fall Height: 5' Est. Timber Count: 28





GFP-20596-1

Age Group: 5-12 Years Capacity: 25-30 Structure Size: 22' x 25' Use Zone: 34' x 37' Fall Height: 6' Est. Timber Count: 29



-

5 3

GFP-30474

Age Group: 5-12 Years Capacity: 45-50 Structure Size: 36' x 26' Use Zone: 48' x 38' Fall Height: 7' Est. Timber Count: 39

GFP-30004-2

Age Group: 5-12 Years Capacity: 75-80 Structure Size: 38' x 52' Use Zone: 50' x 56' Fall Height: 7' Est. Timber Count: 52

Available Without Shade GFP-30004-3





Ages 5-12 Years

GFP-30473

Age Group: 5-12 Years Capacity: 35-40 Structure Size: 28' x 23' Use Zone: 40' x 35' Fall Height: 7' Est. Timber Count: 31



GFP-30475

Age Group: 5-12 Years Capacity: 80-90 Structure Size: 66' x 30' Use Zone: 58' x 42' Fall Height: 7' Est. Timber Count: 45



GFP-30099-4

Age Group: 5-12 Years Capacity: 55-59 Structure Size: 34' x 29' Use Zone: 46' x 41' Fall Height: 7' Est. Timber Count: 42

Available Without Shade GFP-30099-3




GFP-20316-1

Age Group: 5-12 Years Capacity: 40-45 Structure Size: 32' x 29' Use Zone: 44' x 41' Fall Height: 7' Est. Timber Count: 40

What's timber count? The amount of 4' playground timbers (or borders) needed to surround the playground should a type of loose fill surfacing be used. See page 75 for more information.









GFP-30281

Age Group: 2-12 Years Capacity: 30-35 Structure Size: 28' x 19' Use Zone: 40' x 3' Fall Height: 4′ Est. Timber Count: 30

GFP-30129

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 20' x 19' Use Zone: 34' x 31' Fall Height: 6' Est. Timber Count: 27

Available Without Shade GFP-30129-1

GFP-30199

10000

Age Group: 2-12 Years Capacity: 100-110 Structure Size: 41' x 27' Use Zone: 53' x 39' Fall Height: 6' Est. Timber Count: 43

THE REAL PROPERTY AND IN THE REAL PROPERTY AND INTERPORTY AND INTE



Ages 2-12 Years

GFP-30424

Age Group: 2-12 Years Capacity: 40-45 Structure Size: 36' x 14' Use Zone: 48' x 26' Fall Height: 5' Est. Timber Count: 33

Reverse View

GFP-10013

Reverse View

32 🦉 Grounds

Age Group: 2-12 Years Capacity: 25-30 Structure Size: 22' x 19' Use Zone: 34' x 31' Fall Height: 6' Est. Timber Count: 27

Available Without Shade GFP-10013-1

'ii



What's timber count? The amount of 4' playground timbers (or borders) needed to surround the playground should a type of loose fill surfacing be used. See page 75 for more information.



Structure Size: 22' x 19'



GFP-30330-2

Age Group: 2-5 Years Capacity: 30-35 Structure Size: 25' x 16' Use Zone: 27' x 37' Fall Height: 4'




Reverse View

GFP-30211

Age Group: 2-5 Years Capacity: 50-55 Structure Size: 32' x 21' Use Zone: 44' x 33' Fall Height: 6′ Est. Timber Count: 35

Available Without Shade GFP-30211-1



A warning! Installation over a hard surface such as concrete, asphalt, or packed earth may result in serious injury from falls.



Ages 2-5 Years

GFP-30317-1

Age Group: 2-5 Years Capacity: 35-40 Structure Size: 22' x 17' Use Zone: 34' x 29' Fall Height: 3' Est. Timber Count: 27








GFP-30425

Age Group: 2-5 Years Capacity: 20-25 Structure Size: 34' x 14' Use Zone: 36' x 26' Fall Height: 3' Est. Timber Count: 26

Reverse View

GFP-30221-1

Age Group: 2-5 Years Capacity: 30-35 Structure Size: 21' x 18' Use Zone: 33' x 30' Fall Height: 4′ Est. Timber Count: 28



What's timber count? The amount of 4' playground timbers (or borders) needed to surround the playground should a type of loose fill surfacing be used. See page 75 for more information.







Age Group: 6-23 Months Capacity: 20 Structure Size: 15' x 15' Use Zone: 18' x 18' Fall Height: 24"



Fall Height: 24"

Reverse View



Reverse View



Age Group: 6-23 Months Capacity: 20 Structure Size: 15' x 15' Use Zone: 17' 6'' x 19' 3'' Fall Height: 30"



Reverse View













AIG012

Age Group: 6-23 Months Capacity: 7 Structure Size: 11' x 2 1/2' Use Zone: 24' x 15' Includes: • Slide

- Bongos • Finger Maze
- Stairs





AIG021

- Age Group: 6-23 Months Capacity: 8 Structure Size: 11' x 6' Use Zone: 24' x 19'
- Includes: Slide
- Bongos
- Shape Spinners
- Stairs
- Sound Cylinder and Bead Panel
- Arch Climber







Age Group: 6-23 Months Capacity: 9 Structure Size: 11' x 8 1/2' Use Zone: 24' x 21' Includes:

- Slide
- Bongos
- Spin and Find
- Stairs
- Texture Panel
- Texture Climber



TFR0520XX

Age Group: 6-23 Months Capacity: 5 Structure Size: 8' x 6' Includes:

ot-Trek

- Stairs
- Slide
- Bubble Window
- Texture Panel
- Climber

TFR0533XX


Age Group: 6-23 Months Capacity: 10 Structure Size: 12' x 8'

- Includes:
- Phase One
- Bridge
- Climber
- Stairs
- Activity Panels



TFR0518XX

- Age Group: 6-23 Months Capacity: 15 Structure Size: 14' x 15'
- Includes:
- Phase Two
- Crawl Tube
- Slide
- Activity Panels















We are supporters of providing a variety of play areas to promote **balanced play.** Explore this section to see how you can encourage child development using a variety of play types and **bring education outdoors.**

in this section

Dramatic Play	44
Playhouses & Accessories	44
Play Facades	45
Play Vehicles	46
R-Town [®]	47
Trike Track Play Stands & Villages	48
Trike Track Accessories	49
Outdoor Classroom	50
Gardening & Science	50
Science & Math	51
Seating	52
Creative & Sensory Play	52
Art Easels	52
Water Tables & Sandboxes	53
Music Instruments	54
Toddler & Infants	56
Physical Play	56
Toddler & Infants	56
Sports & Games	57
Climbers	58
Balance	60
Motion	61
Swings	62







Playhouses & Playhouse Accessories

Developmental Benefits • Expands Language Skills • Helps with Emotional Regulation





Theme Your Playhouse



AND ONS

Pioneer Playhouse Model: RECF0159XX Dimensions: 5' x 5' x 7' Ages: 2-5



Barn Playhouse Model: RECF0161XX Dimensions: 5' x 5' Ages: 2-5




Cottage Model: TFR0560XX Dimensions: 31/4' x 61/4' x 43/4' Ages: 2-5







Freestanding Sink & Stove Model: RECF0096XX



Integrated Sink & Stove Model: RECF0137XX



Flower Box For 5' Playhouses Model: RECF0139XX

.



Tot Table and Chairs Model: RECF0140XX

Developmental Benefits • Supports Abstract Thinking • Teaches Story Telling

And second part Outfitter Model: DRM00030XX Dimensions: 10½' x 9¼' x 4½'

Ages: 2-12



Doctor's Office

Model: DRM00046XX Dimensions: 125/8' x 83/4' x 41/2' Ages: 2–12



Cafe Model: DRM00054XX Dimensions: 101/2' x 81/2' x 41/2' Ages: 2-12













Off-Road Military Vehicle Model: RECF0032XX Ages: 2-12 Clearance Zone: 16' x 12'



Tiny Tug Model: RECF0083XX Ages: 2-5 Clearance Zone: 17' x 13'



Metro School Bus Model: 49221 Ages: 2-12 Clearance Zone: 14' x 9 ½'



R-Town® Barn Model: 47505 Ages: 2-5 Dimensions: 4' x 4' **R-Town® Church** Model: 47510 Ages: 2-5 Dimensions: 6' x 4'



Metro Fire Truck Model: 49220 Ages: 2-5 Clearance Zone: 14' x 9 1/2'



Off-Road Truck Model: 49222 Ages: 2-12 Clearance Zone: 16' x 10'



Safari Off-Road Vehicle Model: TFR0541XX Ages: 2-12 Clearance Zone: 14' x 10'



R-Town[™] School Bus Model: 47501 Ages: 2-12 Dimensions: 10' x 4'







Developmental Benefits • Allows for Exploration of Roles • Enhances Creativity & Imagination



R-Town[®] Rumblin' Racer Post Mounted: 47506 Spring Mounted: 46519* Ages: 2-12 *Use Zone: 17' x 16'



R-Town® Ambulance Post Mounted: 47507 Spring Mounted: 46520* Ages: 2-12 *Use Zone: 20' x 16'

R-Town[®] Colonial Cottage Model: 47508 Ages: 2-5 Dimensions: 6' x 4'




R-Town[®] School Model: 47504 Ages: 2-5 Dimensions: 6' x 4'

Trike Track Play Stands & Villages

Developmental Benefits Improves Communication Skills Builds Teamwork and Cooperation













Post Office Stand Model: RECF0063XX Dimensions: 3³/₄ x 4" x 6¹/₂ Ages: 2-12



Gas Station Stand Model: RECF0033XX Dimensions: 3½' x 4'' x 6½' Ages: 2-12



Cafe Stand Model: RECF0067XX Dimensions: 3³/₄' x 4" x 6¹/₂' Ages: 2-12





Ages 3-6 Tricycle Model: Win451 Ages: 3-6

Low Tricycle Model: Win580 Ages: 1-4



Railroad Crossing

Portable: 49304-P

In-ground: 49304

Yield Sign Portable: 49302-P In-ground: 49302



Custom Street Sign 2 Custom Street Names 12 Characters Max



Trike Parking Sign Portable: 49336-P In-ground: 49336



Custom Pair any number or combination of our play stands to create a connected play village.





Developmental Benefits • Enhances Spatial Awareness Supports Gross Motor Development



Stop Sign Portable: 49301-P In-ground: 49301



Traffic Light Sign Portable: 49339-P In-ground: 49339



Gas Pump Model: RECF0105XX Portable



3-Wheel Scooter Model: Win588 Ages: 4-5



Do Not Enter Sign Portable: 49367-P In-ground: 49367



No Trike Parking Sign Portable: 49335-P In-ground: 49335

Ages 2-4 Tricycle Model: Win450 Ages: 2-4



Directional Arrow Portable: 49338-P In-ground: 49338



Age Safety Sign 2-5 Year Old: TFR0668XX 5-12 Year Old: TFR04966XX



Developmental Benefits • Develops Fine Motor Skills Understanding Life Cycles & Nature











Green Wall Planter 3 Box Model: RECF0129XX 5 Box Model: RECF0114XX Ages: 2-12



Raised Planter Box 2' x 4' x 16½": RECF0047XX 2' x 6' x 16½": RECF0048XX



Full Pizza Garden Model: RECF0110XX Diameter: 49" Ages: 2-12 Half Pizza Garden Also Available

Trellis

Model: RECF0073XX

Dimensions: 5' x 4' x 7'



Quarter Circle Planter Model: 49665 Ages: 2-12 Set of 3 with Flexible Configuration



Arrange Planets Based on Size, Proximity to the Sun, Etc.

Solar System Panel Model: RECF0053XX Ages: 2-12



Climbing Vine Planter 3' Planter: RECF0117XX 5' Planter: RECF0118XX Ages: 2-12



Nature Play Sign Model: 49041



Garden Bridge 6' Model: RECF0040XX 8' Model: RECF0041XX



Deluxe Weather Station Model: RECF0084XX Ages: 2-5

Nature & Science Center Model: RECF0062XX Ages: 2-5 Clearance Zone: 10' x 10'



Developmental Benefits • Encourages Interactive Learning 🚔 Encourages Data Collection & Analysis

Sun Dial Model: RECF0051XX Ages: 2-12





MathMagic Sandbox 6' Model: RECF0074XX 8' Model: RECF0075XX 10' Model: RECF0076XX Ages: 2-12

Locate Buried Objects Using Grid

Custom Sign Custom Wording or Logo

outdoor classroom & creative play

Developmental Benefits • Develops Fine Motor Skills • Provides Emotional Expression

Water Tables & Sandboxes



Art Easel45" (One Bay)86" (Two Bay)Singled-SidedRECF0034XXRECF0035XXDouble-SidedRECF0036XXRECF0037XX





Standard Portable Water Table Model: RECF0079XX Dimensions: 45" x 27¾" x 25‰" Water Table Cover (44116) Also Available




INCLUSIVE Universal Art Easel Model: RECF0093XX

Dimensions: 4' x 2'



Art Easel Cups Model: 43201 Sold as a Set of 10



Fun Table Model: 9000006XX Ages: 2-5



Storage and Activity Table Model: RECF0143XX Dimensions: 3' x 3' x 2'





4' Log Bench Model: 4LB Dimensions: 4' x 2'



Nesting Table & Chair Set Model: 46111 Ages: 2-5



Bench With Back Rest Model: REC20149XX 6' Length 18'' Seat Height

Bench Without Back Rest Model: REC20150XX 6' Length 18'' Seat Height



Infant Water Table Model: RECF0090XX Dimensions: 2' x 3½' x 1' Ages: 6-23 Months



Developmental Benefits • Helps Regulate Emotions • Develops Sensory Processing Skills



6': RECF0058XX 10': RECF0060XX

8': RECF0059XX 12': RECF0061XX
Sand Box Covers Also Available

Sand Activity Wall Multiple Configurations Available

Nearby Water Source Required

A water source is required for most of our water play equipment. Ask your Design Consultant for details.

Musical Instruments

Developmental Benefits • Encourages Creativity Improves Fine Motor Coordination







Model: LPAD-G-IG-REC-SRP Includes In-Ground Mount Kit







Composer Model: REC21780XX Posts Sold Separately



Solo with Aluminum Keys Model: REC21781XX Posts Sold Separately



Solo with Fiberglass Keys Model: REC21779XX Posts Sold Separately



Glockenspiel Model: RECF0054XX In-Ground Mount



Calypso Model: CPSO-#-SM-SRP Green (G) or Gray (S) Posts



Model: TREE-PM-SRP



Single Post Bongos NEW Model: RECF0156XX Portable



Harmony Hive NEW Model: HIVE-IG-SRP In-Ground Mount





Model: IMBA-IG-REC-SRP Includes In-Ground Mount Kit

Caterpillar Model: CATR-#-SRP In-Ground or Surface Mount



Model: TD-IG-N-SRP Includes In-Ground Mount Kit





Developmental Benefits • Helps Develop Improvisation Builds Self-Esteem and Confidence





Griffin

Model: GRIF-IG-REC-SRP Includes In-Ground Mount Kit

Rhythm Model: RHYT-IG-REC-SRP Includes In-Ground Mount Kit

sen sory & physical play

Developmental Benefits

Strengthens Fine Motor Skills
Supports Sensory Development







Counting Shapes Corner Box Model: INF00039XX Dimensions: 3½' x 10½" Ages: 6-23 Months




Sights & Sounds Corner Box Model: INF00037XX Dimensions: 3½' x 10½'' Ages: 6-23 Months



Literacy Cube Model: 13322 Dimensions: 3' x 3' Ages: 6-23 Months



GaGa Ball Game Pit 20' Wide, In-Ground Ages: 2-5, 5-12



Movement & Texture Corner Box Model: INF00038XX Dimensions: 31/2' x 101/2" Ages: 6-23 Months



Mushroom Tunnel Model: RECF0098XX Dimensions: 4½' x 2½' x 2' Ages: 6-23 Months, 2-5 Years P Capare in the Air® In-Scound Mounted Model: 9SIGP Capare 5-10 Cap

56 🦉 Grounds

Developmental Benefits Fosters Teamwork Promotes Focus and Attention





Tether Ball Model: 60019301XX Ages: 2-12



Basketball Goal Adjustable Model: 99108 (*Pictured*) Stationary Model: 99107



Junior Soccer Goal Set

Model: 60019202XX Ages: 2–5, 5–12 Dimensions: 12' x 6' Height




4 Square in the Air®

In-Ground Mounted Model: 4SIGP Surface Mounted Model: 4SSMP Ages: 5-12 Variants of Classic 4 Square But in the Air

9 Square in the Air[®] and 4 Square in the Air[®] is a registere trademark of 9 Square In The Air, LLC and used with its permission

Climbers

Developmental Benefits • Builds Physical Strength • Helps Develop Coordination








9' Ascend Web Whirl Model: RC-1200SR Ages: 5-12 Use Zone: 18' 7" x 18' 7" Fall Height: 4'



Model: RC-SM01SR Ages: 5-12 Use Zone: 26' 7" x 24' 7" Fall Height: 6'



Ascend Arch Model: RC-909SR Ages: 5-12 Use Zone: 25' 6" x 25' 6" Fall Height: 6'



Small Climbing Boulder Model: GRN-SM Use Zone: 18'1" x 17'7" Height: 3' Ages: 2-12



Moon Crater Model: TFR0655XX Ages: 2-12 Use Zone: 21' x 21' Height: 4 1/2'




Climb and Discover Cave Ages: 2-12 Use Zone: 20' x 21' Primary Colored Hand Holds: TFR0613XX Natural Colored Hand Holds: TFR0614XX












Model: EFR0069XX Use Zone: 14' x 30' Ages: 5-12



Mole Hill Model: 87000010XX Use Zone: 26' x 26' Height: 6' Ages: 5-12









Tree Stump Ages: 2-5, 5-12

Designs With or Without Moss

12", 20", 28", 36" Heights

I so and the set

Stepping Turtles Set

Clearance Zone: 13' x 10'

Model: 5ST

Ages: 2-12

Includes 5 Steps





Stepping Boulders Set Model: UP501 Clearance Zone: 13' 11" x 20' Ages: 5-12 Includes 3 Boulders



Clearance Zone: 13' 9'' x 21' 7''

Model: 5TSL

Ages: 2-12

Includes 5 Steps

1.57

Pike's Peak Model: UP503 Use Zone: 19' x 20' Height: 3' Ages: 5-12



4.30

s Peak I: UP503 one: 19' x 20' t: 3' 5-12

> **4' Log Tunnel** Model: 4LT Clearance Zone: 15' 5'' x 15' 8'' Ages: 2-12

NO PA

6' Half Log Beam Model: 6HL Clearance Zone: 18' x 14' Ages: 2-12



Rubber Mushrooms Ages: 2-5, 5-12 Diameter: 18" Includes Grounds Anchors

 Height Part No.
 Height Part No.

 11.5"
 MS-02
 19.5"
 MS-04

 15.5"
 MS-03
 23.5"
 MS-05



Lily Pad Walk Ages: 2-5, 5-12

 Count
 Use Zone
 Item Number

 3
 15' x 12'
 90021200XX

 5
 15' x 18'
 90021100XX









Cozy Pod Spinner Model: TFR0638XX Use Zone: 22' x 22' Ages: 2-5, 5-12 Only Available in Colors Shown

Play Spheres Ages: 2-5, 5-12

Style	Size	Item Number
	14″	TFR0704XX
Half	20″	TFR0706XX
	28″	TFR0708XX
	14″	TFR0705XX
Full	20″	TFR0707XX
	28″	TFR0709XX

In-Ground Mount Kit (TFR0716XX) and Surface Mount Kit (TFR0717XX) Sold Separately

Half Play Spheres

60 Grounds

Developmental Benefits

Improves Motor Planning

Helps Develop Vestibular System



Tea Cup Spinner Model: TFR17548XX Use Zone: 16' 4" x 16' 4" Ages: 2-12 **Whirl & Twirl** Model: TFR0615XX Use Zone: 15' 7'' x 15' 7'' Ages: 5-12

2-Seat Retro Rocker Model: 90018204XX Use Zone: 13' x 17' Ages: 2-5



Balance Beam

Ages: 2-5 (>12" Install Height), 5-12 (>16" Install Height)

Length	Use Zone	Item Number
9.75′	15' x 22'	90021016XX
6′	13′ x 18′	90021006XX
8′	13' x 20'	90021008XX
	9.75' 6'	6' 13' x 18'









62 🦉 Grounds



Single Post Swing Frames

Constructed from either 5" (without shade) or 6⁵/₈" (with shade) diameter steel, these frames feature an 8' height and are available with or without shade. The version with shade is IPEMA Certified and ASTM F1487-17 Compliant.

Without Shade

Bays	Item Number	Use Zone
1	TFR0628XX	24' x 32'
2	TFR0629XX	36' x 32'
3	TFR0630XX	48' x 32'
4	TFR0631XX	60' x 32'

With Shade

Bays	Item Number	Use Zone
1	RSW23516G	24' x 32'
2	RSW3516G	36' x 32'
3	RSW46516G	48' x 32'
4	RSW5816G	60' x 32'

Arch Swing Frame

Constructed from 3.5" or 5" diameter steel, these frames feature an 8' height and are for use with swing seats or tire swings.

For Traditional Swing Seats

Post Size	Bays	Item Number	Use Zone
	1	TFR3501XX	24' x 32'
	2	TFR3502XX	36' x 32'
3.5″	3	TFR3503XX	48' x 32'
	4	TFR3504XX	60' x 32'
	Add-A-Bay	TFR3500XX	Add 11' x 32'
	1	EFR0116XX	24' x 32'
	2	EFR0117XX	36' x 32'
5″	3	EFR0118XX	48' x 32'
	4	EFR0119XX	60' x 32'
	Add-A-Bay	EFR0120XX	Add 11' x 22'

For Tire Swings

Our tire swing frame is made from 5" steel tubing.

Bays	Item Number	Use Zone
1	90015991XX	22' x 28'
2	90015992XX	22' x 44'
3	90015993XX	22' x 59'
4	90015994XX	22' x 74'
Add-A-Bay	90945900XX	Add 11' x 22'



Standard Swing Frames

Constructed from 2³/₈" galvanized steel tubing with cast aluminum junctions, these swing frames feature an 8' or 10' height. The part numbers below are for galvanized frames. To order a powder coated frame for an upcharge, replace "XX" with "PC" in the part numbers below.

<u>Bi-Pod</u>

Available in an 8' height only.

Bays	Item Number	Use Zone
1	90015401XX	25' x 32'
2	90015402XX	36' x 32'
3	90015403XX	48' x 32'
Add-A-Bay	90915400XX	Add 11' x 32'

Tri-Pod

Height	t Bays	Item Number	Use Zone
	1	90015301XX	33' x 32'
8'	2	90015302XX	45' x 32'
0	3	90015303XX	56' x 32'
	Add-A-Bay	90015300XX	Add 11' x 32'
	1	90015311XX	36' x 40'
10′	2	90015312XX	47' x 40'
10	3	90015313XX	58' x 40'
	Add-A-Bay	90015391XX	Add 11' x 32'



To-Fro Glider

The To-Fro Glider is designed for children aged 6-23 months. Swing seats (INF00058XX) sold separately. INF00058XX includes two seats and chain sets.

Bays	Item Number	Use Zone
1	TFR0692XX	24' x 13'
2	TFR0693XX	36' x 13'

Developmental Benefits • Stimulates the Vestibular System



Belt Seats

Our molded belt seats feature galvanized triangle hardware and high carbon steel spring inserts to resist vandalism. Available in red, yellow, green, blue, black, and tan. Galvanized or yellow PVC coated chain is available. Sold as a set of two.

Chain Type	Chain Link	Item Number
Galvanized ·	8′	90015108XX
Galvanized .	10'	90015110XX
Yellow PVC	8′	90015208XX
fellow PVC	10'	90015210XX



Bucket Seats

Our full bucket seats feature high backs and full stainless steel inserts. These seats are available as for ages 24-47 months with 54" chain in red, yellow, green, blue, or black. Sold as a set of two.

Chain Type Item Number Galvanized 90015130XX 90015230XX Yellow PVC



Tire Swing Seats

Our Tire Swing Seat includes one tire and all galvanized chain and hardware. Order one item number per bay. Tires are made from durable, black roto-molded plastic. Model: TFR0612XX



INCLUSIVE

Inclusive Swing Seat

This patent-pending swing seat design is for children ages 5-12 who need support to maintain a seated position. This set comes with two seats and all chain and hardware. Available in any plastic color with a beige brace. Sold as a set of two. Model: TFR0768XX

NEW



Beveled Swing Mat

Our $48'' \times 48'' \times 1\frac{1}{2}''$ swing mat is great for areas where loose fill surfacing is used to help minimize the displacement of surfacing. Model: WM-05



Customize your play structure to achieve your physical play and **learning goals** by using the structure components found on the following pages.

in this section

Slides	66
Climbers & Steps	67
Overhead Climbers	69
Deck Connectors	70
Integrated Shade & Roofs	71
Panels	72













Open Spiral Slide 6' Deck Height Ages: 5-12



Double Slide 3' to 7' Deck Heights Ages: 2-5, 5-12



Developmental Benefits

• Helps Practice Turn Taking

• Encourages Vestibular Stimulation

Double Curve Slide 5' Deck Height Ages: 5-12



Straight Slide 3', 4', and 5' Deck Heights Ages: 2-5, 5-12



Wave Slide 3' and 6' Deck Heights Ages: 5-12




Curve Slide 3' Deck Height: Right Turn 4' Deck Height: Left & Right Turn 5' Deck Height: Right Turn Ages: 2-5, 5-12



Single Chute Slide 2' to 8' Deck Heights Multiple Configurations Available Ages: 2-5, 5-12








Rockin' Ramp 2' to 5' Deck Heights Ages: 2-12

Chain Link Climber

4' and 5' Decks Only

Ages: 2-5, 5-12

Ring Climber 3' Decks Only Ages: 2-5, 5-12 **Clover Climber** 2' to 8' Decks Ages: 2-5, 5-12



Straight Tube Slide 2' to 8' Deck Heights Ages: 2-5, 5-12



90-Degree Turn Tube Slide 2' to 8' Deck Heights Ages: 2-5, 5-12



Spiral Tube Slide 6' to 8' Deck Heights Ages: 2-5, 5-12



Zig Zag Tube Slide 4' to 8' Deck Heights Ages: 2-5, 5-12





PVC Cargo Net Climber 4' to 5' Decks Ages: 2-5, 5-12

Vertical Rung Ladder 2' to 8' Deck Heights Ages: 2-5, 5-12





Ladder Panel Climber 16'' & 2' to 4' Deck Heights Ages: 2-5, 5-12

Lava Climber NEW 3' to 6' Deck Heights Ages: 2-5, 5-12



Snake Climber 4' to 5' Decks Ages: 5-12



Loop Climber 3' and 4' Decks Only Ages: 2-5, 5-12




Disk Climber 2' to 8' Deck Heights Ages: 2-12





Developmental Benefits • Encourages Motor Planning Develops Problem Solving Skills








Deep Rung Arch 3' to 6' Decks Ages: 2-5, 5-12



Half Moon Climber 4' and 6' Decks Only Ages: 5–12



Bubble Ladder 4', 6', and 8' Deck Heights 3' to 8' Deck Heights Ages: 5-12



Coil Climber Ages: 2-5, 5-12



Steps 1' to 4' Deck Heights



Single & Double Parallel Bar 8' Length Ages: 5-12



8' Length Ages: 5-12









Single & Double Trapeze Ring 3-Wheel Swinger Straight and 90° (Single Only) 8' Length Ages: 5-12



8' Length Ages: 5-12



Track Glide 10' Length Ages: 5-12



360° Orbital 8' Length Ages: 5-12







Developmental Benefits

• Enhances Spatial Awareness















Fixed Lily Pad Bridge 8' Length Suspended Version (Ages 5-12) Available

Straight Crawl Tube 2', 4', 6', and 8' Lengths Ages: 2-5, 5-12








Panel Shingle Roof Square and Rectangle Decks Single and Double Options Available

Slat Roof Square and Rectangle Decks



Zig-Zag Crawl Tube Left or Right Zig-Zag Ages: 2-5, 5-12 Decks: Equal Height Offset by 24"

Curved Crawl Tube 60° and 90° Curve Degrees Ages: 2-5, 5-12

Wavy Crawl Tube Ages: 2-5, 5-12 Length: 8'

Inclined Crawl Tube 12" and 24" Incline Ages: 2-5, 5-12 Decks: Unequal Height





Square Shingle Roof Square and Rectangle Decks







Ridge Gable Roof Square and Rectangle Decks



Square Ridge Roof Square and Rectangle Decks



Hexagon Shingle Roof Hexagon Decks




Arched Hexagon Roof Hexagon Decks



















Ages: 2-12

Driving Ages: 2-12 Choose Between One or Two Steering Wheels

Window Ages: 2-12





Airplane Ages: 2-12

Monkey Tree

Ages: 2-12

Frog Crawl Through Ages: 2-12 Ground-Level Only

Mirror Ages: 2-12







Snake Ages: 2-12

Toucan Ages: 2-12



Clock/Sign Language Ages: 2-12



Bubble Ages: 2-12



Ages: 2-12

Honeybee




Starburst Ages: 2-12



Café

Tic-Tac-Toe Ages: 2-12



Ages: 2-12



Ages: 2-12





Custom Panels Are Available





Slotted Ages: 2-12



Geo Ages: 2-5





Solar System Ages: 2-12



Radial Engine Ages: 2-12





Puppet Ages: 2-12



Texture Ages: 2-12



Ground-Level Only

Solo Ages: 2-12 Ground-Level Only



Porthole Wave Ages: 2-12

Half Drive Shift

Ground-Level Only

Ages: 2-12

Bongo Panel

Ages: 2-12

NEW



Boat

Ages: 2-12

Sound Cylinder

Single or Double

Kaleidoscope Insert

Choose Between Panel or Post

Mounted for Inserts

Ages: 2-12

NEV

Ages: 2-12




Porthole Dolphin

Shape Spinner

Ages: 2-12

Ages: 2-12



Iris

Ages: 2-12

Half Gear

Ages: 2-12

Ages: 2-12

Ground-Level Only





Half Yoke Motion Ages: 2-12







Half Push Ages: 2-12 Ground-Level Only



Snake Tile Slide Insert* Ages: 2-12



4 In A Row Insert*

Flower Explorer Insert*

Ages: 2-12

Ages: 2-12

Spin Maze Insert

Ages: 2-12





Solar Explorer Insert*

Frog Tile Slide Insert*



Fish Tile Slide Insert* Ages: 2-12





Butterfly Tile Slide Insert* Ages: 2-12

Surfacing Guide & Accessories

Since safety is our first concern, we recommend only the surface materials below which have proven track records.

Poured In Place (PIP)

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
••••	••••	••••	••••	••••

High Traffic Use, Add Graphics, High Wear Resistance

Bonded I	Rubber	Mulch
----------	--------	--------------

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
••••	••••	••••	••••	••••

Recycled Rubber, Medium Wear Resistance, Color Selection

Rubber Tiles

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
••••	••••	••••	••••	••••

Easy to Repair, High Wear Resistance, Color Selection

Synthetic Turf

Visual	Initial	Maintenance	Easily	Expected
Appeal	Investment	Required	Accessible?	Longevity
••••	••••	••••	••••	••••

2-Layer System, Medium Wear Resistance

Loose Fill Rubber Mulch				
Visual Appeal	Initial Investment	Maintenance Required	Easily Accessible?	Expected Longevity
••••		••••	••••	

Shredded Rubber, High Wear Resistance, High Impact Attenuation Rating, and Mold, Animal, and Insect Resistant

Engineered Wood Fiber				
Visual Appeal	Initial Investment	Maintenance Required	Easily Accessible?	Expected Longevity
••••	••••	••••	••••	$\bullet \bullet \bullet \bullet$

All-Natural, Use of Wear Mats Recommended



Post Mounted



Surfacing Accessories



12" Tall Landscape Timbers

Item Number
LT-4
LT-6
BMP-0002XX
LTH



4' x 8" Landscape Timber Timber Model: LT-4-8 Stake Model: LTH



ADA Accessible Ramp System

Our ADA ramp systems, made from roto-molded plastic, allow for easier transitions into your timber-bordered recycled play environment. These systems are designed for timbers that are 12" high. These systems also include stakes (9 for full, 6 for half) and 2 end caps.

System	Item Number	Dimensions
Full	TCF0078XX	120" x 43"
Half	TCF0077XX	60" x 43"





Complete Your Space With Just **One** Company

Shade

We offer shade structures for nearly every application. Shop our collection when looking for:

> • Playground Shades • Site Furnishing Shades • Picnic Area Shades • Outdoor Classroom Shades • And More!

Shelter

We offer shelter structures to provide protection from both the weather and the sun. Shop our collection when looking for:


- Picnic Pavilions
- Bleacher Covers
- Walkway Covers • And More!

Site Furnishings

We offer a full line of benches, tables, and trash receptacles in a variety of styles. Shop our collection when looking for:

- Tables
- Benches
- Trash Receptacles
- Bike Racks
- And More!

Ask your representative for more information!





Ordering is as easy as contacting your local Grounds For Play sales representative. They'll answer any questions and provide pricing and shipping information for our products. To start, visit groundsforplay.com/find-a-rep to find your local representative's contact information. Grounds For Play also makes it easy for clients to buy by utilizing reputable national purchasing cooperatives.

State-Specific Opportunities



The NASPO ValuePoint Cooperative Purchasing Organization is available to all public agencies, institutes of higher education, political subdivisions, and, in some cases, non-profit organizations in states who have obtained a NASPO ValuePoint Participating Addendum. Currently, we have partnered with the following states:

Montana

Oregon

- North Dakota Utah
 - Washington

South Dakota

- South Carolina Virginia
- Kansas
- New York New Mexico ٠ And More!
 - **For Businesses**



A UNITED COMMUNITY BANK COMPANY

Navitas Credit Corporation is a nationwide direct lender with a focus on small and medium sized businesses. Navitas provides capital in the form of leases and loans to assist businesses in acquiring the equipment and financing they need to grow and stay competitive.



Making It Easy lo buu

For Government Entities



BuyBoard is an online purchasing cooperative that gives its members best pricing on products, equipment, and services that they use every day. Members save time and resources because the competitive procurement process has already been completed. BuyBoard's nationwide members include those in public schools, municipalities, county government, and all types of local government agencies and non-profits.



GSA Advantage![®] is an online cooperative purchasing program that provides access to thousands of products and services. State and local government entities can take advantage of this buying power to get you the best value and price.

For Everyone

Our representatives have extensive knowledge and training in early childhood and Grounds For Play products. Find your closest representative by visiting groundsforplay.com/find-a-rep.

We Meet or Exceed industry standards

In our effort to provide safe and quality play products for children, our products meet or exceed the standards set forth by the below organizations. Additionally, we follow our own strict in-house standards and guidelines.

Safety & Accessibility Standards

IPEMA PLAY EQUIPMEN MANUFACTURER

International Play Equipment Manufacturers Association™

In the interest of playground safety, the International Play Equipment Manufacturers Association (IPEMA[™]) provides a third-party certification service whereby a designated independent laboratory, TÜV SÜD America Inc., (TÜV), validates an equipment manufacturer's certification of conformance to the standards below.

- ASTM1487-17, excluding sections 7.1.1, 10 and 12.6.1: Standard Consumer Safety Performance Specification for Playground Equipment for Public Use
- CAN/CSA-Z614-14, excluding clauses 9.8, 10, and 11: Children's Playspaces and Equipment

A list of current validated products may be viewed on their website at www.ipema.org. Grounds For Play is a member of this organization.



ASTM International

ASTM International, formerly American Society for Testing and Materials, is an independent and world renowned developer of technical standards utilized in testing a multitude of products. ASTM developed F1487 Standard Consumer Safety Performance Specifications for Playground Equipment for Public Use. The current standard is F1487-11, published in 2011.



U.S. Consumer Product Safety Commission

The U.S. Consumer Product Safety Commission (CPSC) presents safety guidelines through the publication of their Public Playground Safety Handbook. This handbook promotes greater safety awareness among those who purchase, install, and maintain public playground equipment. The handbook can be viewed on the CPSC's website, cpsc.gov.

United States Access Board

The U.S. Access Board is a federal agency that promotes equality for people with disabilities. They've developed guidelines and standards for built environments, such as playgrounds.

In-House Standards

At Grounds For Play, we only use quality playground materials. Our playgrounds are **proudly manufactured in the USA** and are built to last.

To ensure the safest play for your children, we offer:

- Quality control inspection on all parts and shipments
- All products must pass inspection in our IPEMA Certified In-House Testing Facility
- In-house production of most products
- All products meet or exceed CPSC, ASTM, and ADA • Safety Guidelines
- On-staff CPSI certified employees
- Local field factory trained installation technicians

Quality Standards



Allied Tube & Conduit®

Some of our products constructed from Allied's heavy-wall galvanized steel tubing, which is protected by Allied's patented Flo-Coat[®] process that uses triple-coat corrosion protection (zinc, conversion coating, and clear organic topcoat) to provide a smooth, shiny product appearance that is unmatched in terms of strength and durability

GreenCircle Certified

Our lumber supplier, Tangent®, has achieved recycled content verification from GreenCircle Certified. Their certification is in compliance with ISO 14021:2016 definitions and the guidelines in the 2012 Federal Trade Commission (FTC) Green Guides for recycled content. Our posts and decks also meet criteria for the USGBC LEED requirements.

Our warranty guarantees years of fun, offering a Lifetime* Warranty on core playground components and a 15-Year Limited Warranty on additional playground parts. Read the details below for full coverage information.

Grounds For Play (GFP) warrants that its product will be free from defects in materials and workmanship as well as maintain structural integrity for the periods listed below from the date of invoice and once GFP has been paid in full. This warranty is in effect only if the product has been assembled and installed strictly in accordance with the setup instructions provided by GFP, good construction practices, and has been subjected only to normal use and exposure.



Lifetime* Warranty on playground steel and recycled posts, all stainless steel hardware, c-line fittings, and aluminum post caps

15-Year Limited Warranty on playground pipes, rungs, loops and rails, roto-molded plastics, HDPE plastic sheets, punched steel decks, and recycled decks

Limited Warranty: Structural Steel

GFP offers a *Lifetime Limited Warranty on structural steel frames against failure due to rust-through corrosion under normal environmental conditions. Should the parts need to be replaced under the warranty, GFP will manufacture and ship new replacement parts at no charge for the first ten years, thereafter pro-rated at 50% for the second ten years and 25% from there on. Workmanship is warranted for a period of five years. This steel warranty shall be void if damage to the steel is caused by the installer or from physical damage, damage by salt spray or sprinkler systems, contact with chemicals, chlorine, pollution, misuse, vandalism, or any act of God.

*Limited Warranty: Powder Coat

GFP offers a 5-year Limited Warranty for standard powder coating or a 7-year Limited Warranty for Corrosion Defense Package powder coating to the original purchaser. This Limited Warranty is for factory applied finish only. Damage occurring from shipping, erection, vandalism, accidents, or field modification is not covered in this limited warranty and will require field touch-up immediately and periodically thereafter. The owner must report any defect in powder coat at the time the installation is completed. Not covered by this Limited Warranty are acute angles, welds, and end plates.

The Limited Warranty for powder coating provides the following after a 5-year (standard) or 7-year (Corrosion Defense Package) exposure period when applied according to the recommendations listed on the product's technical data sheet and appropriate surface preparation has been utilized.

- The coatings shall retain their original color with a △E of <7.5 units for high chroma colors (yellows, reds, oranges, etc.) and a △E of<5.0 units for low chroma colors, when tested in accordance with ASTM D 2244.
- The coating shall retain a minimum of 50% of its original gloss level after washing, when tested in accordance with ASTM D 523.
- The coating shall exhibit chalking no worse than numerical rating of 6, when evaluated in accordance with ASTM D 659-80.

Stainless Steel Series Powered by Playdale Playgrounds

Playdale Playgrounds warrants its products to the original customer to be free from structural failure due to defect in materials or workmanship during normal use and installation in accordance with the published specifications. The warranty shall commence on the date of the invoice and terminate at the end of the period on the full warranty statement. The warranty is valid only if the products are installed properly and in conformance of the specifications, installation guides, Playdale Playgrounds design layout, and properly maintained in accordance with the maintenance schedule provided within the installation instructions. Playdale Playgrounds reserves the right to accept or reject any claim in whole or in part. Playdale Playgrounds will not accept the return of any product without prior approval by Playdale management.

Pricing, Cancellation, Return, and Shipping Policies

All prices are F.O.B. factor and do not include freight, installation, shipping and handling, surfacing, or applicable taxes. All prices listed were current at the time of printing and in U.S. currency. Prices are subject to change without notice. To view our return policy, please visit superiorrecreationalproducts.com/returns. For information on Return Material Authorizations please call 1.800.552.7529. To view our shipping policy, please visit superiorrecreational products.com/shipping-policy. For any further information, please call 1.800.552.7529.

*For the purpose of this warranty, lifetime encompasses no specific term of years, but rather that seller warrants to its original customer for as long as the original customer owns the product and uses the product for its intended purpose that the product and all parts will be free from defects in materials and manufacturing workmanship. This warranty does not cover damage caused by vandalism, misuse or abuse, altered or modified parts, or cosmetic damage such as scratches, dents, or fading or weathering and normal wear and tear. This warranty is valid only if the structures are installed in conformity with instructions provided by GFP using approved GFP parts. GFP will deliver the repaired or replacement part or parts to the site free of charge, but will not be responsible for labor or the labor costs of replacement. Warranty claims must be filed within the applicable warranty period and accompanied by a sales order or invoice nun





5-Year Limited Warranty on standard powder coat* and playground netting cable

10-Year Limited Warranty on shade fabric

1-Year Limited warranty on moving parts, shade cables, and materials not covered above



80 🥰 Grounds



221 CABLE INDUSTRIAL WAY CARROLLTON, GA 30117

SALES@KORKAT.COM

1-888-356-7528

Handcrafted in Carrollton, Georgia

