



Bicycle Security Solutions

 **MADRAX**
By *Graber Manufacturing, Inc.*



**MADE IN
USA** 

Working Together as a Family for 30 Years to Create Innovative Solutions for Bicycle Security

At Madrax, we are passionate about our bike racks. Since 1989, Madrax has been a premier manufacturer of heavy-duty, high-quality bicycle parking racks that are innovative, practical, and aesthetically pleasing. Our standards are rigorous, and each of our bicycle racks undergoes stringent quality testing before we put our name on one. It's the way we've done it for 30 years, and it's why Madrax is increasingly the bicycle rack of choice worldwide. As an added bonus, our wide selection of colors and styles combine both form and function to give you the greatest variety of racks from which to select. At Madrax, we are committed to our status as a family owned and operated company and respect all our customers and employees through honesty and openness in our business practices. We take pride in our quality and our craftsmanship and strive to create products that are as fun for our customers to see and use as they are for us to make!

Table of Contents:

Parking Guide	Page 5-8
Custom Bicycle Racks	Page 9-10
Bicycle Lockers	Page 11-16
Bicycle Storage	Page 17-22
Shelters & Sheds	Page 23-30
Bicycle Parking Racks	Page 31-50
Bicycle Corrals	Page 51-52
Repair Stand and Pump	Page 53-54
Materials & Accessories	Page 55-56
Site Furnishings	Page 57-58



Bicycle Parking Guide



Overview

Biking is increasingly becoming the number one choice for alternative transportation and it is important to provide secure bicycle parking. By providing bicycle parking, you will be encouraging a healthy community and environment. Cyclists' bikes are precious and we get that! So we created some easy guidelines to help you design bicycle parking that is secure and functional.

Site Planning

The first thing in planning for bicycle parking is to figure out whether you need short-term parking or long-term parking.


Short term parking provides convenient and secure parking for a couple of hours or less. Location of short-term parking should be near the main entrance of the building in a well-lit area. Bicycle racks should be 50 ft. from the entrance or closer than the nearest car parking stall. Short-term bicycle parking should be obviously visible from the entrance.

Long-term parking is best for commuters who must leave their bicycles for more than two hours. This is the most secure type of bike parking since bikes are protected from theft and weather conditions. Bike lockers are the most common and cost effective choice for long-term parking. Because long-term parking is usually located in low traffic areas, effective signage is recommended.


Choosing a Bicycle Rack

Not all bicycle racks are created equal. When selecting a bicycle rack, determine the appropriate user and where the bicycle racks will be installed. Ease of use, support of the bicycle, security, capacity, function, quality of materials and aesthetics are all considerations when purchasing bicycle racks.


When choosing a bicycle rack, make sure the rack is made out of high quality material. Choose a bike rack that supports the bicycle upright by its frame at two points; this prevents the front wheel from turning and the bicycle from tipping over. Make sure the frame and one or both wheels can be secured using a U-lock. For additional bicycle support use bicycle racks that have wheel wells.



Two Points of Contact



Frame and One or Both Wheels Secured Using a U-lock




Wheel Wells for Additional Bicycle Support

Install Options


Racks must be securely anchored to the ground to prevent bike thieves from freeing the rack. There are four installation types: in ground mount, surface mount, freestanding/rail mount and freestanding.

In ground: This is a permanent option where the bottom of the rack is encased in a concrete bed. This option is often used when installing on asphalt, grass or pavers.

Surface mount: This is the most common option that has a flange plate with mounting holes to be anchored to an existing concrete pad. This option is not secure on asphalt or pavers.




In Ground Mount



Freestanding / Rail Mount



Surface Mount




Freestanding



Spacing Recommendations




CHECK YOUR LOCAL CODES.



Sidewalk Placement

There must be at least a six-foot clear walkway from the building, to comply with the Americans with Disabilities Act. The bicycle rack cannot be located directly in front of a store/building entrance or exit, nor in a driveway. The bicycle rack cannot be located closer than two feet from the curb. Three feet from the curb is ideal, although in certain circumstances, the distance may be greater.

If you have questions about whether a particular bicycle parking rack you are considering using meets any of these requirements, please contact Madrax customer service and consult your local regulations.



imagine. inspire. create.

Custom Racks

Whether you are seeking to transform your environment, promote your organization, or just express your creativity, our custom bicycle racks are your best resource. We will work with your idea, your sketch, or your blueprint to bring your vision to life.

Custom bicycle racks can be color or design. We can match your corporate color or logo, create bicycle racks that meet your unique needs, and design and produce custom bicycle racks that are not only functional, but just plain fun.

Contact us today about your custom bicycle rack needs. Let's work together to take your ideas from concept to creation.

Brand Your Organization


Looking for a unique way to brand your organization, encourage cycling and support sustainability? Let Madrax help you deliver a clear message with our branding racks. Select a compatible rack, send us your logo, and in return our highly experienced engineers will send you a 3D-Rendering along with a quote... It's that simple!

Our products are individually shaped, formed and constructed, and personally inspected to meet your specifications. We'll always exceed your standards for quality, materials and craftsmanship.




Bike Lockers

MAD  **LOCKER**



ML2-2
Divider, 2 Doors
(2 Bike Capacity)
Roof Removed for Clarity



ML1-1 and ML1T-1 Stacked


MadLocker™



ML2F-2-P

- 39" Wide x 75" Long x 46" High
- Each Unit Parks 1-2 Bikes
- Up to 5 Units in a Bank
- Maximum Security and Tamper-Resistant
- Weather Protection, Long-Term Parking, Stackable, 100% Galvanized for Corrosion Protection, and Easy to Assemble
- 3 Point Locking Mechanism, Wider Door Opening, Non-Scratch Door Frame, and Optional Floors

Pie MadLocker™




MLP-1-P

- 39" Wide x 74" Long x 46" High
- Each Unit Parks 1 Bike
- Maximum Security and Tamper-Resistant
- Weather Protection, Long-Term Parking, Stackable, 100% Galvanized for Corrosion Protection, and Easy to Assemble
- 3 Point Locking Mechanism, Wider Door Opening, Non-Scratch Door Frame, and Optional Floors



Vertical MadLocker™




MLVF-1-P




- 31" Wide x 79" Tall x 47" Deep
- Unit Parks 1 Bike Vertically
- Maximum Security and Tamper-Resistant
- Long-Term Parking, 100% Galvanized for Corrosion Protection, and Rigid Welded Door Frame
- Bike Rack Included
- Space Saver

Narrow MadLocker™



MLNT-1



MLN-1

MLN-1-P



- 31" Wide x 75" Long x 46" High
- Unit Parks 1 Bike
- Maximum Security and Tamper-Resistant
- Long-Term Parking, Stackable, Hot Dip Galvanized Welded Steel Door Frame, Easy to Assemble, and 3 Point Locking Mechanism
- Narrow for Space Saving, Non-Scratch Door Frame, and Optional Floors



Standard:
Helmet / Clothes Hook
Zinc Cast Padlock and U-Lock Locking Handle

Options:
Locker Numbers
Perforated Doors / Walls
Two Tone Colors
Galvanized Floors
Stackable
Pop Out T-Handle with Round Key
Stainless Padlock Locking Handle




3 Point Locking Mechanism - Enables More Secure Locking



12 Gauge Hot Dip Galvanized Steel Frame (Prevents Door/Frame Failure and Sag)



Gear Hanging Hooks - Keeps Clothing and Equipment Organized



Louvers for Ventilation - Reduces Heat and Moisture

Locking Options:




Pop Out T-Handle




Padlock / U-Lock Locking Handle


Door Options:




Perforated Door (Safety View)



Solid Door (Standard)




Perforated Bike Design (Safety View)




Custom (Safety View)

Safety Options
Meets the need for visual inspection of contents.

Storage Solutions



Horizontal Storage



8 EA. BSH-WM




BSH-8-FS



BSH-8-FS

- 15" Staggered Spacing and 8-1/2' Minimum Ceiling Height
- Galvanized or Powder Coated
- Freestanding or Wall Mounted
- High Capacity Storage, User Friendly Loading, and "U" Lock Bar on all Stalls

Bike Boost




BBS-6-SNG

BBS-6-SNG
with 2 EA. BBS-6-AO


- 15" Staggered Spacing and 8-1/2' Minimum Ceiling Height
- Spring Lift Assist for Upper-Tier Parking
- High Visibility Cushion Grip Handles
- Red Front Wheel Hook for Secure Loading
- Galvanized or Powder Coated
- High Capacity Storage, User Friendly Loading, and "U" Lock Bar on all Stalls

New! Bike Tier




BST-10-P

- 24" Spacing and 7-1/2' Minimum Ceiling Height
- Black Powder Coated
- Available with or without Locking Bars
- High Capacity Storage



BSTN-10-P


Wall Rack




WRK-1

- 4" Wide x 62 High
- Galvanized or Powder Coated
- Wall Mount or Channel Mount
- Fat Tire Option Available
- Economical, Practical, and Compact

Vertical Storage



BSV-4-FS



3 EA. BSV-1-WM




BSV-1-WM

- Each BSV is 28" Deep x 3-1/4" Wide x 21" High and Constructed of 1/2" Steel Rod
- Galvanized or Powder Coated
- Freestanding or Wall Mounted
- Economical, Practical, Compact, and Ideal for Apartment/Residential Use

Z Rack




ZR-1-P



- 3-3/8" Wide x 4-7/8" Deep x 10-1/2" High
- Powder Coated Grey with Black PVC Coated Hanger Support
- Wall Mount
- 6FT. Mounting Cable Option
- Economical, Practical, Compact, and Ideal for Apartment/Residential Use


New! Parallel Rack



PRL-2-P

- 17" Wide x 18" Deep x 12" High
- Parks 2 Bikes
- Wall Mount
- Powder Coated Grey with Black PVC Coated Supports
- Economical, Practical, Compact, and Ideal for Apartment/Residential Use

New! Bike Stand




BKS-1-P



- Formed Steel Wheel Plate
- Powder Coated Grey with Black PVC Coated Support
- Freestanding
- Economical, Practical, Ideal for Showrooms and Apartment/Residential Use

Exhibitor Rack



BEX-1-P




- 12" Wide x 12-1/4" Deep x 3" High
- Powder Coated
- Wall Mount
- Economical, Practical, Compact, and Ideal for Apartment/Residential Use

Shelters




Ashton™ Shelter



SHL-ASH-12-P

- 10' Deep x 12' Wide Shelter
- Translucent Polycarbonate Roof Top
- Compatible with a Large Variety of Bicycle Racks and Site Furnishings
- Arched Roof

Wingra™ Shelter




SHL-WIN-12-P

- 10' Deep x 12' Wide Shelter
- Translucent Polycarbonate Roof Top
- Compatible with a Large Variety of Bicycle Racks and Site Furnishings
- Sloped Roof



Vertical Shed




SHD-V12-G



- 2" and 1-1/2" Square Tubing
- Polycarbonate Roof Top
- Galvanized or Powder Coated
- Surface Mount
- Bench and Polycarbonate Panel Options
- 136" Wide x 100" Tall x 48" Deep


Horizontal Shed



SHD-H12-G




- 2" and 1-1/2" Square Tubing
- Polycarbonate Roof Top
- Galvanized or Powder Coated
- Surface Mount
- Bench and Polycarbonate Panel Options
- 136" Wide x 113" Tall x 96" Deep




SHD-V(H)-SEAT

- Integrated Bench**
- Fits Either Side



SHD-V(H)-SIDE

- Side Wind Break**
- Polycarbonate 16MM Thick
 - Bronze Color




SHD-V(H)-12-BACK

- Back Wind Break**
- Polycarbonate 16MM Thick
 - Bronze Color



SHD-BR

New! Bicycle Repair Shed




- 68 3/4" Wide x 95" Tall x 48" Deep
- 2" and 1-1/2" Square Tubing
- Polycarbonate Roof Top and Back Wall
- Galvanized or Powder Coated
- Surface Mount
- Bench, Wall Mounted RepairSTAN and PHIL-UP included



Bike Racks

New! Stout™




- 2-1/2" x 1/2" Flat Bar and 2 x 3 Profile Board
- Recycled Plastic or Ipe Profile Board
- Parks 2 Bikes
- Galvanized or Powder Coated
- In-Ground or Surface Mount

STR-2-WI-P



Finn™




- 1-7/8" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount

FIN-2-SF



Lofty™




- 2-3/8" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount



LBR-2-SF

Metro™




- 1 x 3" Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount



MET-2-SF

Pierce™




- 3" Wide Flat Bar
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- U-Locking Support Rod



PBP-2-SF

Shadow™



- 1/2" Thick Steel Plate
- Parks 2 Bikes
- Galvanized or Powder Coated
- In-Ground or Surface Mount
- Choose from 3 Styles: Sun, Bee, or Seagulls




SHB-SUN-2-SF

SHB-BEE-2-SF



SHB-GULL-2-SF


Genesis™



GNS-8-SF

- 2-3/8" OD Steel Tubing
- Parks 2-8 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- Two Points of Contact, Guides Bikes into Proper Position, and Provides Sufficient Spacing for Bikes

Spartan™



SPR-DBL-5-FS

- 34" High, Constructed of 2-3/8" OD and 1-5/8" OD Steel Tubing with a 3/4" Diameter Steel Rod for Locking
- Parks 2-13 Bikes
- Galvanized or Powder Coated
- In-Ground, Surface Mount, or Freestanding
- Clean Lines which Combine both Form and Function while Keeping Bikes Neatly Aligned and Upright
- Offers a 25" Spacing between Bikes and All-Welded Construction


Circa 2000™



CIR-6-SF

- 1-7/8" OD Steel Tubing
- Parks 2-8 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- Two Points of Contact, Concentric Design Helps Guide Bikes into Place while Spacing them Safely Apart


Triton™



TRI-7-FS

- 34 High, Constructed of 2-3/8" OD Steel Tubing and a 3/4" Diameter Solid Steel Rod
- Parks 5-14 Bikes
- Galvanized or Powder Coated
- In-Ground, Surface Mount, or Freestanding
- Ease of Loading from both Sides, Versatile, Accepts all Types of Bikes and Allows Locking of Frame and Wheel with U-Lock

Cyc Bicrac™




CYB-4-SF



- 47-1/2" High, Constructed of 1-7/8" and 1-5/8" OD Steel Tubing
- Parks 2-4 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact and Offers a Whimsical Touch to Bike Parking Solutions

Advocate Mini™




ADM-2-SF



- 39 -1/2" High, Constructed of 3/4" Rod, 2" Square, and 1-1/4" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact

Advocate™




ADB-4-SF




- 58-1/2" High, Constructed of 1-7/8" and 1-5/8" OD Steel Tubing
- Parks 2-4 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact

Highwheeler



HWL-2-SF




- 34-3/8" High, Constructed of 1-7/8" and 1-5/8" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact and Fun Reminiscent of the Old-Time Bicycle

Phoenix™



- 36" High, Constructed of 1-7/8" OD Steel Tubing and 3" 'C' Channel
- Parks 2-10 Bikes
- 30" Spacing
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground, Surface Mount, or Channel Mount
- Two Points of Contact, Durable, Sophisticated and Robust Frame to Endure the Environment

New! Opal™



- 27-5/8" High, Constructed of 1-5/8" Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact

Orion™



- 2-3/8" OD or 2" Square Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground and Surface Mount
- Two Points of Contact and Aesthetically Pleasing

Sentry™



- 33" High, Constructed of 1-1/2" Square Steel Tubing, 2" 'C' Channel and 3/4" Diameter Steel Rod
- Parks 1-9 Bikes
- Galvanized or Powder Coated
- In-Ground, Surface Mount, or Channel Mount
- Front Wheel Stops for Positive Parking and 3/4" Solid Rod for U-Locks
- 30" Spacing between Bikes, Tamper-Resistant Construction, and Ease of Installation

Shark Up™



SHU-SNG-5

U.S Patent No. 9,145,180


- 35-3/4" High, Constructed of 2 x 3" Angle, 2" 'C' Channel, and 3/4" Solid Rod for Locking
- Parks 1-9 Bikes
- Galvanized or Powder Coated
- Economical, Practical, Compact, Wheel Stops for Positive Parking, and Bike Friendly Vinyl Cushion Coating Option

'U' Racks



U190-SF

Shark™



SHK-SNG-3

U.S Patent No. 9,145,180

- 29-1/2" High, Constructed of 2 x 3" Angle, 2" 'C' Channel, and 3/4" Solid Rod for Locking
- Parks 1-11 Bikes
- Galvanized or Powder Coated
- Economical, Practical, Compact, Wheel Stops for Positive Parking, and Bike Friendly Vinyl Cushion Coating Option




U190-SF

UX238-SF

UX238-LB-SF

- 34" High and Constructed with 1-7/8" and 2-3/8" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- Two Points of Contact, Economical, and Secure

Square 'U' Racks




- 34" High and Constructed with 2" Square Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Electro Polish Stainless Steel
- In-Ground or Surface Mount
- Two Points of Contact, Economical, and Secure



U200-SF

UX200-SF

'U' Two™ Racks




- 34" High, Constructed of 1-5/8" OD Steel Tubing and 2" 'C' Channel
- Parks 1-10 Bikes
- 30" Spacing
- Galvanized or Powder Coated
- In-Ground, Surface Mount, or Channel Mount
- Two Points of Contact, Economical, and Secure



UT160-6

'U' Racks on Rails




UX238-LB-6



- 34" High, Constructed of 1-7/8" OD, 2-3/8" OD Steel Tubing, and 3" 'C' Channel
- Parks 1-10 Bikes
- 30" Spacing
- Galvanized, Powder Coated, Stainless Steel, or Electro Polish Stainless Steel
- Two Points of Contact, Economical, and Secure

Square 'U' Racks on Rails




UX200-6



- 34" High, Constructed of 2" Square Steel Tubing and 3" 'C' Channel
- Parks 1-10 Bikes
- 30" Spacing
- Galvanized, Powder Coated, or Electro Polish Stainless Steel
- Two Points of Contact, Square Tubing Acts as a Deterrent to Pipe Cutters


Bike Bollards



BOL450-2-SF

- 36" High and, either 4-1/2" OD or 8" OD Tubing
- Parks up to 2 Bikes
- Galvanized, Powder Coated, Stainless Steel, or Electro Polish Stainless
- In-Ground, Surface Mount, or Removable
- Two Points of Contact, Bike Security, and/or Traffic Barriers
- Bike Parking Arms Optional


Meter Rack



MR-238

- 3/8" Steel Plate
- Parks up to 2 Bikes
- Galvanized or Powder Coated
- Two Points of Contact and Creative Way of Utilizing Existing Meters or Posts
- Mounting Brackets for 2-3/8" or 1-5/8" Post



Bollard Covers



BOL450-RMC

- Bollard Sleeve
- Bollards Locked in Place when Installed
- Cover Protects Opening when Bollard is Removed
- Hot Dip Galvanized
- Only Available in 4.5" OD Tubing

Post and Ring Racks



PAR-2-SF

PARBC-2-SF with Grout Cover


- 2-3/8" OD Steel Tubing and 1-5/8" OD Steel Tubing
- Parks 2 Bikes
- Galvanized, Powder Coated, or Electro Polish Stainless
- In-Ground or Surface Mount
- Two Points of Contact

Heavy Duty Challenger™



H36-7-SF

- 36" High and 2-3/8" OD Steel Tubing
- Parks 3-21 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- Suited for Maximum Durability




Winder-Plus™




WP36-7-SF

- 36" High, Constructed of 1-5/8" OD Steel Tubing
- Parks 3-11 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- Sleek and Modern




Heavy Duty Winder™




HW238-17-SF with GC

- Height of 42" for Ease of Parking from both Sides
- 2-3/8" OD Steel Tubing
- Parks 3-21 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount



Challenger-Plus™




CHP-7-SF


CHP-3-SF

CHP-5-SF

- 36" High and 2-3/8" OD Steel Tubing
- Parks 3-13 Bikes
- Galvanized, Powder Coated, or Stainless Steel
- In-Ground or Surface Mount
- 19-1/2" Wide Loops for Ease of Parking



Capitol Square™



- 36" High, Constructed of 2" Square Steel Tubing
- Parks 3-13
- Galvanized, Powder Coated, or Stainless
- In-Ground or Surface Mount
- Square Tubing to Prevent Cutting
- 18-1/4" Wide Loops

Gridrac™



- 31" High, Constructed 1-5/8" OD and 3/4" OD Steel Tubing
- Parks 4-18 bikes
- Galvanized or Powder Coated
- Freestanding
- Economical, Traditional Design, and Ease of Use

Grand Stand™



- 29" High, Constructed of 1-1/4" OD and 3/4" OD Steel Tubing
- Parks 3-6 Bikes
- Galvanized or Powder Coated
- Freestanding
- Economical, Perfect for Homeowner, Small Retailer, or Small Office Complex


Skateboard Rack



- Constructed with 4" OD Axle Locking Tube, and 2" Square Tubing
- Parks 4 to 8 Skateboards
- Galvanized or Powder Coated
- In-Ground, Surface Mount, or Wall Mount
- Lock with any Padlock
- Fully Assembled Base Unit, Tamper-Welded Construction, Ease of Installation, and Longboard Compatible



All Proprietary Rights Reserved



Bike Corrals

Park Place™



- 41-1/2" High, Constructed of 2" Square Steel Tubing and 1-1/2" Steel Tubing
- Park up to 14 Bikes
- Galvanized or Powder Coated
- Freestanding
- Transforms Car Parking Stalls into Functional Bike Parking

Bike Corral



- Includes U190-10, 2 Delineators, and 2 Wheel Stops
- Park up to 10 Bikes
- Galvanized or Powder Coated
- Freestanding
- Transforms Car Parking Stalls into Functional Bike Parking

Bike Repair Stands



RepairSTAN™



- RepairSTAN™ includes Allen Wrenches: 2.5, 3, 4, 5, 6, 8mm; Adjustable Wrench; Headset Wrench; Pedal Wrench; Open Wrenches: 8, 9, 10, 11mm; Tire Lever; Phillips Screwdriver; and Straight Screwdriver.

PHIL-UP™



PUP

- 160 lb Pressure Gauge
- Weather Resistant
- Presta Schrader Valve Head
- Stainless Housing



- Cushioned Bicycle Support
- Stainless Steel Vinyl Coated Tool Tethers
- Tools Are Crimped to End of Tethers
- Steel Mounting Flange with 4 Holes for 3/8" Anchors
- Galvanized, Powder Coated, or Electro Polish Stainless

New!

BRS

BRS-WM

Finishes

Galvanized

Withstanding the elements with little to no maintenance, our galvanized products are durable and weather to a battleship grey. For this finish, the product will have vent holes that will allow draining after a hot-dip in the molten zinc tank. A galvanized product is an economical choice that resists rust. This finish comes with a 5-year warranty.

Black Vinyl Cushion Coating

For the devoted bicyclist, Black Vinyl Cushion Coating is an easy way to protect the integrity of bicycles. Racks are dipped in plastisol to achieve a 1/8th inch rubbery finish. This added cushion protects high-quality bicycles from dents and scratches. The default color for this finish is black. Other colors are available upon request. Cushion Coated products have a 1-year warranty.

Stainless Steel

Crafted from stainless steel and polished to a rich, Satin #4 finish, these racks are a highly durable and attractive option that will last through decades of use. As one of our more resilient finishes, Stainless Steel is perfect for products used in salty ocean air and other tough environmental conditions. Products come with a 5-year warranty.

Electro Polished Stainless Steel

Much like our Stainless Steel finish, Electro Polished Stainless lends decades of durability to your rack. To achieve this sleek and polished look, our Electro Polished Stainless Steel finished racks are dipped into an electro-chemical bath that removes mill scale impurities and adds a high level of shine. This product is complete with a 5-year warranty.

Thermoplastic Powder Coat

Protect bicycles from dents and scratches with this lightly cushioned thermoplastic finish. Rack is powder coated after fabrication with thermoplastic polyethylene coating, giving the product a slightly soft and protective quality. Thermoplastic Powder Coated products are backed by a 1-year warranty. Limited color selection available.

Powder Coated Stainless Steel

Constructed with stainless steel, Powder Coated Stainless Steel racks are highly durable due to the anti-corrosive property of the steel used in construction. Racks are polished and then coated with an electrostatically applied super TGIC polyester powder. These products come with a 5-year warranty due to the durable steel they are constructed with.

Super TGIC Powder Coat

Available in 16 vibrant shades, Super TGIC coated products will stain significantly less from UV light than other finishes, keeping your rack’s color vivid longer. Rack is powder coated after fabrication with a 5-6mm thick electrostatically applied super polyester powder coating. This finish has a 1-year warranty.

Bronze

Platinum

Grey

Storm
Metallic

Gunmetal

Black

White

Mesa
Tan

Yellow

Green

Forest
Green

Lexington
Green

Red


Berry

Patriot
Blue

Midnight
Blue

Note: Due to variations in the printing process, colors shown may not be an exact match. Please request color samples from Madrax for accurate color comparisons.
Call for available custom finishes.

Surface Mounting



Looking for Site Furnishings?

Look to Thomas Steele to Enhance Your Outdoor Space

Creative craftsmanship.

For more than a decade, our craftsmen have been creating site furnishings that stand out for their stylish designs, broad palette of colors, and exceptional handcrafted quality.

Designs and finishes made to order.

You have more design options, with choices ranging from steel strap, perforated metal and steel rod to wood. Choose one family, or mix and match to create an environment that meets your unique needs.

Thomas Steele stands out for its finishes, a selection of incomparable beauty and variety. Select any item from the eight Thomas Steele design families, choose a finish, and we'll build it for you – custom craftsmanship every time. So explore our catalog. Expand your mind. Select the Thomas Steele furnishings that will fit your site just so.

e-Steele™ ... When FORM is not enough.

No matter how hard the use or how harsh the environment, this premier finish really stands up against pitting, staining and rusting.

Thomas Steele improves on the industry standard polyester powder finish by applying a "state-of-the-art" 18-step finishing process that includes sandblasting, zinc corrosion protecting, epoxy primer and TGIC Super-Durable Polyester powder coat. This is the superior process that is also earth friendly. Our unique e-Steele™ technology produces the most durable finish.

The result? Gleaming good looks and rugged durability, backed by an unsurpassed 5-year warranty.

TERMS AND CONDITIONS

All orders must be in writing and are subject to acceptance by Graber Manufacturing, Inc. No verbal orders will be accepted. All prices are FOB Graber Manufacturing's factory and are in U.S. dollars. Prices are subject to change without notice. Shipments will be made at prices prevailing at the time of the shipment.

Net is due 30 days from date of invoice when buyer is a tax-supported government entity or a company with approved credit. Buyers without approved credit must submit full payment with order. Service charge is 1-1/2% per month on all invoices after 30 days. Graber Manufacturing, Inc. also honors American Express, MasterCard and VISA. (Credit card fees of 3% maybe assessed if used at other times) Graber Manufacturing, Inc. reserves the right to change terms if necessary.

Graber Manufacturing, Inc. reserves the right to discontinue or change the design and specification of units, and to ship the revised product without notice when such changes have been made.



[instagram.com/madrax_bikeracks](https://www.instagram.com/madrax_bikeracks)



[facebook.com/madraxbikeracks](https://www.facebook.com/madraxbikeracks)



twitter.com/madraxbikeracks

LIMITED WARRANTIES

Madrax division of Graber Manufacturing. ("Madrax") warrants products it manufactures against defects in materials or workmanship for a period of one year from the date of invoice.

Hot dipped galvanized and stainless steel products are warranted against corrosion for a period of five years from the date of invoice. All Madrax products (excluding bicycle lockers and Phil Up tire pump) are warranted against structural failure for a period of twenty years from the date of invoice. Bicycle lockers are warranted against structural failure for a period of one year from the date of invoice.

Superficial wear or damage such as scratches, nicks or dents caused by normal wear and tear are not covered by this warranty. These warranties do not cover any defects or failure due to vandalism, negligence, abuse, accidents, lack of maintenance or improper installation. Unless previously approved in writing by Graber Manufacturing, Inc. this warranty does not cover any defects or failure due to products tampered with or altered, modified or repaired by anyone.

For additional specific conditions and limitations, contact your local Madrax representative or Graber Manufacturing, Inc.



For More Information:

1080 Uniek Drive
Waunakee, WI 53597
P: 800.448.7931
F: 608.849.1081
www.madrax.com



Looking for furniture?

Look to Thomas Steele.
P: 800.448.7931
www.thomas-steele.com



ASLA



Explore our eCommerce website: madrax.com

Want to know more?

Spending a few minutes at our Website can save you hours of research. Cut your specification writing time while getting the bicycle parking that set the standard for security, durability and aesthetics. Visit www.madrax.com

- View our complete product line
- Designed to help **architects, engineers and facility owners/managers**
- Get Pricing, CSI specifications and CAD details for all products
- BIM models available on selected items



Prices and specifications subject to change without notice.
©2019 *Graber Manufacturing, Inc.*
Printed in the U.S.A



1905-2500