



Ascend













## **Product Specification**

**Product Name:** Ascend Quest 5 Course

Model Number: RC-A005SR

Size: Length: 58' 8" Width: 41' 10"

Height: 9'1"

Fall Height: Foundations:

Concrete Volume: 4.75 cubic yards **COMPLIANT WITH: ASTM F-1487** CSA Z614

5-12 years

Ages: Use Zone: Length: 70' 8"

Width: 53' 10"



Technical Details:

Support Post Support Posts shall be 5-1/2" (140mm) diameter steel tubing. After fabrication the frame shall

be powder coated in accordance with the specifications herein.

20mm diameter rope consists of 6 main strands, each strand containing 24 galvanized steel Climbing Nets

reinforcing strands within a polyamide sleeve, wrapped around a solid polyamide core for a total of 144 reinforcing strands. Ropes shall achieve a Class 7-8 colorfastness rating.

Rope Ball Con-One-piece compressed aluminum ball connector or end fitting, compressed in place with 150,000 pounds source (667kN) to prevent the connection from moving and causing premature nectors and End

**Fittings** cable wear.

**Fasteners** All fasteners shall be stainless steel with locking patch or locking compound (by others).

Metal Finish Polyester (Powder) Coating - The polyester coating shall be uniformly applied by the electro-

static method to a minimum thickness of four mils. Promptly after application of the powder, the coating shall be oven-cured at 350 degrees Fahrenheit. The color(s) of the polyester

coating shall be from the manufacturer's standard color selection.

Installation Installation recommended by a licensed playground contractor, trained and certified on the

applicable playground installation methods and standards, preferably certified by manufacturer

or National Playground Contractors Association.