Site Amenities-

BY SUPERIOR RECREATIONAL PRODUCTS




Model # T36ROUND



3/12/2019 Page 1 of 7

HARDWARE







PRODUCT SPECIFICATIONS

T36ROUND 36" SQUARE PORTABLE TABLE

Top & Seats: 11 gauge die formed angle frame 1"x1-7/8". ³/₄" #9 steel expanded metal. 7 gauge x 1-1/2" flat bar center support and mounting bracket understructure. Top is additionally supported to the outer frame with 7 gauge x 1-1/2" flat bar. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 1-5/8" O.D. x 14 gauge pre-galvanized structural steel tubing. Cross braces are precision laser cut and formed from 1/4" flat steel. Table mounting points are 10 gauge die stamped steel flat bar. All electrically MIG welded.

Frame Coating: Electrostatic powder coated application oven cured.


Hardware: All stainless steel hardware fasteners.

Dimensions: Top is 36" diameter x 30" high. Overall dimensions are 36" round.



3/12/2019 Page 3 of 7

COMPONENTS



ITEM NO.	PartNo	DESCRIPTION	QTY
1	V361L	30" 361 Leg	4
2	33-02-0007	5/16" SS Washer	20
3	33-05-0029	5/16" x 1" Machine Bolt (SS)	8
4	33-03-0012	5/16" Kep Nut (SS)	12
5	P-01-04-0078	Spreader plate	1
6	33-06-0006	5/16" x 2 1/4" Carriage Bolt (Zinc)	4
7	V36RD-TU	36" Round Expanded Top with Umbrella Hole	1
8	33-08-0004	1-5/8" 14-18 ga. round ribbed insert	4



3/12/2019 Page 4 of 7

STEP 1




Attach the 36" Top to the Legs as shown using specified hardware.



3/12/2019 Page 5 of 7

STEP 2





Attach the Spreader Plate to the leg assembly as shown using specified hardware.



3/12/2019 Page 6 of 7

OVERALL DIMENSIONS









3/12/2019 Page 7 of 7