


BY SUPERIOR RECREATIONAL PRODUCTS



Model # T46ULPERF



## HARDWARE





## PRODUCT SPECIFICATIONS

## T46ULPERF 46" PORTABLE TABLE WITH 4 SEATS

Top & Seats: 11 gauge die formed angle frame  $1^{x}1-7/8^{n}$  with 3<sup>n</sup> radius corners. Seat and Top plates are fabricated from a 14 gauge plate. The understructure/attachment plates are fabricated from 10 gauge x  $1-1/2^{n}$  flat bar. Top is additionally supported to the outer frame with 10 gauge x  $1-1/2^{n}$  flat bar. Electrically MIG welded.

Coating: Oven fused functionalized polyethylene copolymer-based thermoplastic. Fluidized bed coating application with superior mechanical performance, impact resistance and UV-stability.

Frame: 1-5/8" O.D. x 14 gauge pre-galvanized structural steel tubing. Brace attachment points are 1-1/2"x2"x3/16" steel flat bar. Cross braces 1" O.D. x 16 gauge pre-galvanized structural steel tubing. Top is attached with 7 gauge 2"x2" die formed angle. Seat mounting points are 7 gauge x 1-1/2" die stamped steel flat bar. Legs are bent over a mandrel through the bend radius producing a wrinkle free bend. Holes are predrilled in legs for optional surface mounting. All electrically MIG welded.


Frame Coating: Electrostatic powder coated application oven cured.

Hardware: All stainless steel hardware fasteners.

Dimensions: Top is 46" square x 30" high. Seats are 10" wide x 36" long x 18" high. Outside to outside dimensions of 4 seat table is 76-3/4" square.




COMPONENTS				
ITEM NO.	PartNo	DESCRIPTION	QTY	
1	T-EP46-T	46" sq. perf top	1	
2	P-01-04-0121	358 Extension Tab	4	
3	P-01-04-0122 P-V358-R	358 Crossbrace w/ Umbrella Tube 358 Vinyl Leg R	1 4	
5	P-V358-L	358 Vinyl Leg L	4	
6	T-EP36-S	3' x 10" perf seat	4	
7	33-02-0007	5/16" SS Washer	72	S SUPERIOR <sup>*</sup> RECREATIONAL PRODUCTS
8	33-05-0029	5/16" x 1" Machine Bolt (SS)	36	
9	33-03-0012	5/16" Kep Nut (SS)	36	




Attach the Extension Tabs to the 46" Square Top using specified hardware.






Attach the Legs to the outside of the Extension Tabs using specified hardware.






Attach the Crossbrace between the table legs as shown using specified hardware.





## OVERALL DIMENSIONS



19 60 19 10

11